

# PRODUCT DATASHEET LS AY -PM05/U/17,5X14,5/10/1

Medium Profiles for LED Strips | Medium Profiles for LED Strips



## Areas of application

- General indoor illumination

#### **Product benefits**

- Robust aluminum profile
- Quick and simple installation

#### **TECHNICAL DATA**

# Dimensions & Weight

Length	1000 mm
Width	17.5 mm
Height	14.5 mm
Product weight	150.00 g

#### Colors & materials

Product color	Grey

# Temperatures & operating conditions

Ambient temperature range	-15+45 °C
Temperature range in operation	-15+45 °C

## Additional product data

connectors / Can be combined with VALUE UNPROTECTED Strips Can be combined with VALUE PROTECTED Strips	Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Can be combined with PERFORMANCE PROTECTED Strips including endcap and excluding connectors / Can be combined with VALUE UNPROTECTED Strips / Can be combined with VALUE PROTECTED Strips
--	----------------	--

#### LOGISTICAL DATA

Temperature range at storage -35+85 °C	
--	--

## Accessories Optional

Product image	Product name	EAN
	LS AY -PM05/MB	4058075277007
	LS AY -PC/R01/D/1	4058075279360
	LS AY -PM05/EC	4058075275867
	LS AY -PM05/EC/H	4058075276529

Product image	Product name	EAN
	LS AY -PC/R01/C/1	4058075402256

## DOWNLOAD DATA

Tender texts	Document name
Tender documents	Medium Profiles for LED Strips PM05U17,5X14,5101-EN

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075279278	BAG 1	1,200 mm x 50 mm x 5 mm	151.00 g	0.30 dm <sup>3</sup>
4058075279285	Bundle 10	500 mm x 55 mm x 50 mm	1510.00 g	1.38 dm <sup>3</sup>
4058075279292	Shipping box 50	1,030 mm x 190 mm x 120 mm	8089.00 g	23.48 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.