

PRODUCT DATASHEET TRUSYS FLEX FEED IN BOX 5P WT

TruSys® FLEX FEED-IN BOX | Feed-in connector box



Product features


- Feed-in connector box 5- and 8- pole



TECHNICAL DATA

Dimensions & Weight

| Length | 272 mm |
|----------------|----------|
| Width | 92 mm |
| Height | 58.0 mm |
| Product weight | 560.00 g |



TRUSYS FLEX FEED IN BOX

Materials & Colors

| Product color | White | | |
|--------------------------|-----------------------------|--|--|
| Body material | Steel/Polycarbonate (PC) | | |
| Application & Mounting | | | |
| Mounting location | Mounting rail | | |
| Certificates & Standards | | | |
| Standards | CE / CB / UKCA / ENEC / EAC | | |
| | | | |

DOWNLOAD DATA

| | Documents and certificates | Document name | |
|-----|----------------------------|---------------------------------------|--|
| PDF | User Instruction | TRUSYS FLEX FEED WT | |
| PDF | Legal information | Legal insert TRUSYS FLEX Sensor Track | |

| | Documents and certificates | Document name | |
|-----|---------------------------------|--|--|
| POF | Declarations of conformity | CE Declaration of Conformity TRUSYS FLEX | |
| PDF | Declarations Of Conformity UKCA | UKCA Declaration of Conformity TRUSYS FLEX | |
| | T | | |

| Tender texts | Document name |
|------------------|--|
| Tender documents | TruSys FLEX FEED-IN BOX FEED IN BOX 5P WT-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075781979 | Folding box 1 | 358 mm x 100 mm x 70 mm | 639.00 g | 2.51 dm ³ |
| 4058075781986 | Shipping box 20 | 685 mm x 510 mm x 167 mm | 14369.00 g | 58.34 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.