




# PRODUCT DATASHEET

## LN INV INFILL 1500 WT

LINEAR INDIVILED INFILL | Mechanical and electrical connector for light line installation between luminaires, in 600 mm, 1200 mm or 1500 mm



---

### Product benefits

- Easy and quick connection of luminaires for light line installations
- Very solid connector for long operation

---

### Product features


- Mechanical and electric connector (profile, 5 x 2.5 mm<sup>2</sup> internal wiring and terminal plug, male-female AC plug)
- Connector made of aluminum, white powder-coated



## TECHNICAL DATA

### Dimensions & Weight

Length	1600 mm
Width	125 mm
Height	43 mm
Product weight	3100.00 g



LN INV INFILL 1500 WT

### Materials & Colors

Product color	White
Body material	Aluminum



### Application & Mounting




With light source	No
-------------------	----

### Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

## DOWNLOAD DATA

Documents and certificates		Document name
	User Instruction	LN INV accessories
	Legal information	LN INV ACC

Documents and certificates		Document name
	Declarations of conformity	LN INV
	Declarations Of Conformity UKCA	LN INV
Tender texts		Document name
	Tender documents	LINEAR INDIVILED INFILL 1500 WT-EN

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854214844	Folding box 1	177 mm x 1,657 mm x 102 mm	3591.00 g	29.92 dm <sup>3</sup>
4099854214851	Shipping box 2	1,677 mm x 197 mm x 224 mm	8464.00 g	74.00 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.