

PRODUCT DATASHEET

Decor Plaster Nest Pendant 3XG9 White

Decor Plaster | Decorative luminaires made of plaster with exchangeable light source



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting
- Real wood used by some types

Product features

- Housing material: metal and plaster
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Length	500.00 mm
Width	385.00 mm
Height	1500.00 mm
Product weight	3700.00 g



DECOR PLASTER NEST PEND
3XG9 WT

Materials & Colors

Product color	White
Housing color	White
Body material	Plaster
Cover material	Glass

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No

Mounting type	Suspended
Application environment	Indoor
With light source	No
Holder designation	G9


Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 5 W LED / Available from October 2024
Number of illuminants	3

DOWNLOAD DATA

Documents and certificates	Document name
 User Instruction	DECOR CLAY/CONCRETE/PLASTER NEST PENDANT G9

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841420	Folding box 1	144 mm x 452 mm x 693 mm	4315.00 g	45.11 dm ³
4058075841437	Shipping box 2	470 mm x 302 mm x 718 mm	9874.00 g	101.91 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.