

PRODUCT DATASHEET

Decor Clay Windows Pendant 1XE27 Brown

Decor Clay | Decorative luminaires made of clay with exchangeable light source



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and clay
- Textile cable



TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Diameter	260.00 mm
Height	1500.00 mm
Product weight	2100.00 g

Materials & Colors

Product color	Brown
Housing color	Brown
Body material	Clay Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Suspended
Application environment	Indoor
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No


Additional product data

Product remark	Maximum bulb wattage: 6 W LED / Available from October 2024
----------------	---

Number of illuminants

1

DOWNLOAD DATA

Documents and certificates	Document name
 User Instruction	DECOR CLAY WINDOWS PENDANT E27

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841048	Folding box 1	148 mm x 302 mm x 303 mm	2370.00 g	13.54 dm ³
4058075841055	Shipping box 4	604 mm x 318 mm x 328 mm	10405.00 g	63.00 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.