

PRODUCT DATASHEET Decor Concrete Bim Pendant E27 Dark Gray

Decor Concrete | Decorative luminaires made of concrete with E27 sockets



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source thanks to E27 base
- Sustainable solution thanks to exchangeable light sources
- Easy mounting
- Real wood used by some types

Product features

- Housing material: metal and concrete
- Textile cable



TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	П
Operating mode	Mains voltage

Dimensions & Weight

Diameter	200.00 mm
Height	1250.00 mm
Product weight	1480.00 g



Materials & Colors

Product color	Dark gray
Housing color	Dark gray
Body material	Concrete Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Mounting location	Ceiling

Application environment	Indoor
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 25 W (LED 15 W) / Available from September 2024		
Number of illuminants	1		

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User Instruction	DECOR CONCRETE PENDANT E27 DG

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075838307	Folding box	262 mm x 262 mm x 263 mm	1788.00 g	18.05 dm ³
4058075838314	Shipping box 4	545 mm x 275 mm x 545 mm	8241.00 g	81.68 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.