

PRODUCT DATASHEET Decor Clay Nest Table 1XG9 Brown

Decor Clay | Decorative luminaires made of clay with exchangeable light source



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and clay
- Textile cable



TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	П
Operating mode	Mains voltage

Dimensions & Weight

Length	325.00 mm
Width	240.00 mm
Height	135.00 mm
Product weight	1950.00 g
Cable length	1800 mm

Materials & Colors

Product color	Brown
Housing color	Brown
Body material	Clay
Cover material	Glass

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Standing
Application environment	Indoor
Adjustable	No
With light source	No
Holder designation	G9

Certificates & Standards

Standa	rds	CE

Additional product data

Product remark	Maximum bulb wattage: 5 W LED / Available from October 2024	
Number of illuminants	1	

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User Instruction	DECOR CLAY/CONCRETE/PLASTER NEST TABLE G9

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075841123	Folding box 1	144 mm x 302 mm x 503 mm	2323.00 g	21.87 dm ³
4058075841130	Shipping box 2	520 mm x 318 mm x 313 mm	5465.00 g	51.76 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.