

PRODUCT DATASHEET Decor Straw Floor 3XE27 Multicolor

Decor Straw | Decorative luminaires made of colourful metal with E27 socket



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- Contrasting color tones
- Design enables the lamp to be the luminaire highlight
- Different types of luminaires with the same design language maintain a consistent style at home
- Two options for easy wall installation (via EU plug on cable or direct wiring)
- Inline-switch for table and floor luminaire
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal
- Optional cable provided with fitted EU plug (only for wall luminaire)
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	П
Operating mode	Mains voltage

Dimensions & Weight

Diameter	257.00 mm
Height	1465.00 mm
Product weight	10300.00 g



DECOR STRAW FLOOR 3XE27

Materials & Colors

Product color	Multi color
Housing color	Multi color
Body material	Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20
Dimmable	No
Mounting type	Standing
Application environment	Indoor
Adjustable	No

With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE
-----------	----

Additional product data

Product remark	Maximum bulb wattage: 3 x 15 W LED / Available from October 2024		
Number of illuminants	3		

DOWNLOAD DATA

	Documents and certificates	Document name
POF	User Instruction	Decor Straw Table and Floor
PDF	Legal information	DECOR DRUMS/STRAW/BUBBLE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075838888	Folding box 1	332 mm x 332 mm x 583 mm	10965.00 g	64.26 dm ³
4058075838895	Shipping box 1	345 mm x 345 mm x 605 mm	12011.00 g	72.01 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.