

PRODUCT DATASHEET Decor Clay Windows Wall 2XE27 Brown

Decor Clay | Decorative luminaires made of clay with exchangeable light source



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High-quality look and feel
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and clay
- Textile cable



TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	1
Operating mode	Mains voltage

Dimensions & Weight

Length	375.00 mm
Width	168.00 mm
Height	227.00 mm
Product weight	1550.00 g

Materials & Colors

Product color	Brown
Housing color	Brown
Body material	Clay Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 6 W LED / Available from October 2024
Number of illuminants	2

DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	User Instruction	DECOR CLAY WINDOWS WALL E27	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075840966	Folding box	182 mm x 210 mm x 533 mm	1884.00 g	20.37 dm ³
4058075840973	Shipping box	546 mm x 196 mm x 441 mm	4505.00 g	47.19 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

 $Subject \ to \ change \ without \ notice. \ Errors \ and \ omission \ excepted. \ Always \ make \ sure \ to \ use \ the \ most \ recent \ release.$