

# PRODUCT DATASHEET

## Orbis Paris 300 mm 1XE27 BG

ORBIS PARIS | Socketed ceiling luminaires with fabric ring



---

### Areas of application

- Indoor applications
- Kitchens, living rooms, children's rooms or home offices

---

### Product benefits

- Replaceable LED lamp
- Elegant design

---

### Product features

- Decorative domestic lighting
- Ceiling luminaire with socket
- Glass and metal material




## TECHNICAL DATA

### Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I
Operating mode	Mains voltage

### Dimensions & Weight

Diameter	300.00 mm
Height	105.00 mm
Product weight	420.00 g



ORBIS PARIS

### Materials & Colors

Product color	Beige
Housing color	Beige
Body material	Steel TC fabric PVC
Cover material	Polystyrene (PS)
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg





### Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No

## Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

## DOWNLOAD DATA

Documents and certificates	Document name
 User Instruction	ORBIS
 Legal information	Legal Insert
 Declarations of conformity	ORBIS MADRID PARIS MILAN
 Declarations Of Conformity UKCA	ORBIS MADRID PARIS MILAN

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075828964	Folding box 1	112 mm x 312 mm x 312 mm	699.00 g	10.90 dm <sup>3</sup>
4058075828971	Shipping box 4	326 mm x 326 mm x 475 mm	3522.00 g	50.48 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.